























1 EFRUZHU
MOLECULAR AND CELLULAR CANCER
CARCINOGENESIS THEORY AND LAWS
CONCLUSIVE PROOF PUBLICATIONS

2 EFRUZHU
OPPOSITION MULTIMODALITY
(MECHANISMS) ABSOLUTE ANY STAGE
ANTICANCER THERAPY DRUGHU
CONCLUSIVE PROOF PUBLICATIONS





EFRUZ ASILOGLU

APEX / SUPREMO DEGREE

PHILOSOPHER EFRUZHU PHRMP







9986902



Beleodaq®
(belinostat)
for injection
500 mg/vial
NDC 68152-108-09

NDC 68152-108-09

Beleodaq®
(belinostat)
for injection

500 mg/vial

**For Intravenous
Infusion Only**

**Single-Dose Vial
Discard Unused
Portion**

Sterile



Store at 25°C (77°F);
excursions permitted from
15°-30°C (59°-86°F).
[see USP Controlled Room
Temperature]

Usual Dosage:
See Package Insert.
(See WARNINGS.)

Further dilution with Sodium
Chloride Injection, 0.9% is
required.

Protect from light. Store
in carton until contents are
used.

See top panel for lot number
and expiration date.

Rx only

Manufactured For
Spectrum Pharmaceuticals, Inc.
Irvine, CA 92618

NDC 68152-108-09

Beleodaq®
(belinostat)
for injection

500 mg/vial

**For Intravenous
Infusion Only**

**Single-Dose Vial
Discard Unused
Portion**

Sterile



When reconstituted with
9 mL of Sterile Water for
Injection, USP (see package
insert) the resulting solution
will contain: belinostat
equivalent to 50 mg per mL;
L-Arginine 100 mg/mL.

Reconstituted solution must
be used within 12 hours.

Contains no preservative.



3 68152 10809 9

99869-02

NDC 68152-108-09

Beleodaq®
(belinostat)
for injection

500 mg/vial



9986902

9986902

NDC 0078-0652-06



FARYDAK[®]
(panobinostat)
capsules

6 capsules

20 mg

Swallow Whole with Water and Do Not Open, Crush or Chew.
Store blister pack in original carton to protect from light.
ATTENTION: Dispense with enclosed Medication Guide.
Rx only

 **NOVARTIS**

6 capsules

20 mg

FARYDAK[®]
(panobinostat)
capsules

6 capsules



FARYDAK®
(panobinostat)
capsules

10 mg

Equivalent to 12.58 mg
panobinostat lactate

Swallow Whole with Water and Do Not Open, Crush or Chew.
Store blister pack in original carton to protect from light.

ATTENTION: Dispense with enclosed Medication Guide.

Rx only

5 capsules

1.0 mg

Equivalent to 12.50 mg
canabinoid lactate

FARYDAK®
(panobinostat)
capsules



NOVARTIS



FARYDAK®
(panobinostat)
capsules

10 mg

Equivalent to 12.5B mg
panobinostat lactate

6 capsules

WS-ES-004-01

1130503
A17-US

EXPLOROT

GTIN: 00300780650068

For oral use.
Each capsule contains 10 mg panobinostat.
Take Farydak exactly as directed by your prescriber.
Dosage and Administration: See package insert.
Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C and 30°C (59°F and 86°F).
Contents:
1 blister pack containing 6 capsules
Full prescribing information
Medication Guide
Keep this and all drugs out of the reach of children.
For more information, visit www.FARYDAK.com or call 1-844-FARYDAK (1-844-327-9325).
Product of Switzerland.

Manufactured by:
Novartis Farmacéutica SA
Barberá del Vallés, Spain

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936

Novartis



6 capsules



FARYDAK[®]
(panobinostat)
capsules

10 mg

Equivalent to 12.5B mg
panobinostat lactate



NDC 73116-100-06

6 capsules



FARYDAK[®]
(panobinostat)
capsules

10 mg

Equivalent to 12.58 mg
panobinostat lactate

Swallow Whole with Water and Do Not Open, Crush or Chew.
Store blister pack in original carton to protect from light.

ATTENTION: Dispense with enclosed Medication Guide.

Rx only



SECURA BIO™



FARYDAK[®]
(panobinostat)
capsules

10 mg

Equivalent to 12.58 mg
panobinostat lactate

6 capsules

For oral use.

Each capsule contains 10 mg panobinostat.
Take Farydak exactly as directed by your prescriber.

Dosage and Administration: See package insert.

Store at 20°C to 25°C (68°F to 77°F), excursions
permitted between 15°C and 30°C (59°F and 86°F).

Contents:

1 blister pack containing 6 capsules

Full prescribing information

Medication Guide

Keep this and all drugs out of the reach of children.

For more information, visit www.FARYDAK.com or
call 1-844-9-SECURA (1-844-973-2872).

Product of Switzerland.

Manufactured by:
Novartis Farmacéutica SA
Barberá del Vallés, Spain

Distributed by:
Secura Bio, Inc.
Las Vegas, Nevada 89134

© Secura Bio



73116-100-06 4



FARYDAK[®]
(panobinostat)
capsules

10 mg

Equivalent to 12.58 mg
panobinostat lactate

6 capsules

6 capsules

Equivalent to 12.58 mg
panobinostat lactate

10 mg

FARYDAK[®]
(panobinostat)
capsules

ET01

1141769-
A19-US

EXPLOT

GTIN: 00373116100064

10-P400
-S3-SN



LOT/EXP:

NDC 59572-961-10

ISTODAX®
(romidepsin) for injection
10 mg/vial

Rx Only

FOR INTRAVENOUS USE ONLY.

Directions For Use: See accompanying package insert for complete reconstitution directions.

Product MUST be reconstituted with 2 mL of supplied Diluent for a concentration of 5 mg/mL and then further diluted in 500 mL of 0.9% sodium chloride injection, USP.

Single Use Vial - Discard Unused Portion

Active Ingredient: Romidepsin


Inactive Ingredient: Povidone

Recommended Storage: Store at 20° to 25°C, excursions permitted between 15° to 30°C. (See USP Controlled Room Temperature.)

Manufactured for:
Celgene Corporation
Summit, NJ 07901

ISTODAX® is a registered trademark of Celgene Corporation.

Made in Germany
BAXVL96110.004
USA 5549-5021 C 264



ISTODAX Kit
(romidepsin) for injection
10 mg/vial Rx Only

Reconstitution and dilution required.

Each kit contains:
— One 10 mg single-dose vial of ISTODAX®
— One single-dose vial with 2.2 mL of Diluent

For Intravenous Use Only
Single-Dose Vial - Sterile Unaltered Portion
Made in Germany

ISTODAX Kit
(romidepsin) for injection
10 mg/vial Rx Only

Reconstitution and dilution required.

Each kit contains:
— One 10 mg single-dose vial of ISTODAX®
— One single-dose vial with 2.2 mL of Diluent

For Intravenous Use Only
Single-Dose Vial - Sterile Unaltered Portion
Made in Germany

ISTODAX Kit
(romidepsin) for injection
10 mg/vial Rx Only

Reconstitution and dilution required.

Each kit contains:
— One 10 mg single-dose vial of ISTODAX®
— One single-dose vial with 2.2 mL of Diluent

For Intravenous Use Only
Single-Dose Vial - Sterile Unaltered Portion
Made in Germany

ISTODAX Kit
(romidepsin) for injection
10 mg/vial Rx Only

Reconstitution and dilution required.

Each kit contains:
— One 10 mg single-dose vial of ISTODAX®
— One single-dose vial with 2.2 mL of Diluent

For Intravenous Use Only
Single-Dose Vial - Sterile Unaltered Portion
Made in Germany

DILUENT NDC 0062-075-02
for ISTODAX®
2.2 mL, per single-dose vial
Each vial contains 80% propylene glycol
and 20% anhydrous ethanol.

Storage and Administration:
Withdraw 2.2 mL of Diluent to reconstitute
10 mg vial of ISTODAX®.

LOT: 001

3 59572-97302 2

NDC 0006-0568-40

Zolinza®
(vorinostat) capsules

100 mg

Direct contact of the powder in ZOLINZA capsules with the skin or mucous membranes should be avoided.
(See Package Insert.)

Rx only
120 Capsules

Each capsule contains 100 mg vorinostat.
Store at 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F).
(See USP Controlled Room Temperature.)
USUAL DOSAGE: See Package Insert.

Merck
7009837500
GTIN
00300060568404

Encoding area:
Space reserved for 2D Serialization
Barcode, Serial Number, Expiry and Lot



Zolinza[®] (vorinostat) capsules

Each capsule contains
100 mg vorinostat.



Rx only

120 Capsules

100mg

Lot

NDC 0006-0568-40

Store at 20-25°C (68-77°F), excursions
permitted between 15-30°C (59-86°F).
[See USP Controlled Room Temperature.]

USUAL ADULT DOSAGE:
See accompanying circular.

Direct contact of the powder in ZOLINZA
capsules with the skin or mucous membranes
should be avoided. (See accompanying circular.)

Manuf. for: Merck Sharp & Dohme Corp.,
a subsidiary of
MERCK & CO., INC.

Whitehouse Station, NJ 08889, USA

Manuf. by:
Patheon, Inc.
Mississauga, Ontario, Canada L5N 7K9
Formulated in Canada

9723103
120 | No. 3883

Zolinza[®] (vorinostat) capsules

Each capsule contains
100 mg vorinostat.



Rx only

120 Capsules

100mg

Lot



MERCK SHARP & DOHME

