CANCER CELL DUAL-BINARY IDENTITY & © 1.MUTATIONS GROUP 1.NORMAL DNA **IDENTITY** 2.DOMINANT 2.RECESSIVE/PASSIVE 3.SILENCED 3.ACTIVE 4. CONVENTIONAL 4.NATURAL DRUGS **CHEMOTHERAPEUTIC MEDICINES** DRUGS MEDICINES 5.EGO MATERIAL 5.SPIRITUAL ANTIMATTER IDENTITY BODY IDENTITY CONVERTER CONSTANT K :FROM CHEMOTHERAPEUTIC AGENTS TO THE NATURAL DRUGS K=5/3=1.6 NATURAL DRUGS (ND) =5/3 = 1.6 = K CONSTANT CONVENTIONAL DRUGS (CD) (CHEMOTHERAPEUTIC (ANTICANCER) AGENTS)

" 5 NATURAL - 3 CONVENTIONAL

RATIO-PROPORTION IS LAW FOR OPPOSITION PHYSIOLOGIC HOMEOSTATIC BALANCED"

NATURAL DRUGS DOSAGE:

ND ND

---- =1.6 **---** =1.6

CD 1.3 MG/METER SQUARE

ND = 2.8 MG/METER SQUARE

NATURAL DRUGS TRAINING TIMES:

ND ND

--- = 1.6 = K= 11.2 DAYS

CD 7 DAYS

ND = NATURAL DRUGS WILL BE APPLIED 11.2

DAYS AFTER CONVENTIONAL

CHEMOTHERAPEUTIC ANTICANCER AGENTS

ROTATIONS TO BE SEPERATELY WITH CYCLE

THAT TOTAL THERAPEUTIC CYCLE PORTIONS.

CONVENTIONAL THEN NATURAL,

CONVENTIONAL THEN NATURAL ... = COMPLETED TOTAL THERAPEUTIC CYCLE ANTICANCER AGENTS AND NATURAL DRUGS INTERVAL TRAINING

ND ND

— = 1.6 K CONSTANT — = 1.6 = 6.4

CD 4 HOURS

ELIMINATION HALF LIFE (VARIOUS)

EX: HALF LIFE 4 HOURS + 6.4 HOURS = 10.4 HOURS.

"AFTER CHEMOTHERAPEUTIC (ANTICANCER ADMINISTERED DRUG) THERAPEUTIC APPLICATIONS THEN NATURAL DRUGS MUST BE STARTED APPLIED 10.4 HOURS LATER"

"ORIGINAL EXPLORATION DISCOVERY"

MOLECULAR & CELLULAR ONCOLOGY & CLINICAL MEDICAL ONCOLOGY

APEX DEGREE MEDICAL

PHILOSOPHER EFRUZHU PHRMP

NORTH CYPRUS TURKISH CYPRIOT



